



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Accessing supercooled liquid dynamics of extremely poor glass formers by a containerless levitation viscometer

Yue, Yuanzheng; Liu, Hao; Pan, Ruikun; Greaves, G.N.; Tao, H.Z.; Shan, Z.T.

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Yue, Y., Liu, H., Pan, R., Greaves, G. N., Tao, H. Z., & Shan, Z. T. (2017). *Accessing supercooled liquid dynamics of extremely poor glass formers by a containerless levitation viscometer*. Abstract from 12th Pacific Rim Conference on Ceramic and Glass Technology including Glass & Optical Materials Division Meeting 2017, Waikoloa, Hawaii, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Accessing supercooled liquid dynamics of extremely poor glass formers by a containerless levitation viscometer

Yuanzheng Yue^{1,2*}, Hao Liu^{1,2}, Ruikun Pan¹, G. Neville Greaves^{1,3}, Haizheng Tao¹, Zhitao Shan¹

¹ *State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China*

² *Department of Chemistry and Bioscience, Aalborg University, DK-9220 Aalborg, Denmark*

³ *Department of Materials Science and Metallurgy, University of Cambridge, Cambridge CB3 0FS, UK*

*Corresponding author. E-mail: yy@bio.aau.dk

Assessing the supercooled liquid dynamics (SCLD) of extremely poor glass formers is critical for understanding the nature of glass formation and glass transition. So far, the SCLD of such glass formers is poorly understood. This is because the SCLD of poor glass formers is not assessable using conventional techniques as their crystallization kinetics is far beyond the time window of viscosity measurements. However, some promising development has recently been achieved in assessing the SCLD of poor glass formers using a levitation viscometer. The viscometer is capable of not only determining viscosity at high temperature, but also of drastically broadening the supercooled region. This allows us to investigate the SCLD of refractory oxide. Here, we report our recent findings about the dynamical behavior of calcium aluminate. The viscosity is measured in a broad supercooled range (up to 450 K) by the levitator. The results show the fragile-to-strong transition in the supercooled region. The structural and thermodynamic origin of such transition is explored by performing calorimetry, Raman spectroscopy, NMR and XRD experiments on the melt-quenched glasses. The compositional dependences of T_g , fragility, glass forming ability and configurational heat capacity are found to be rather different from literature, and the source of such difference is discussed.